




AQC Surface and Subsea Connectors



AQC-SR



AQC-BC



AQC-CW

Our AQC connectors have all been designed, developed and qualified by our in-house team of expert riser system engineers to reduce lead-times, capital and operational costs. This patented technology offers unrivalled efficiency gains and enhanced safety during operations.

As an OEM for oilfield equipment, we can provide our AQCs as part of a complete installation package, or as standalone items. It's a unique offering that gives customers significant technical advantages, as well as both opex and capex savings.

Our range of Aquaterra Energy AQC designed and manufactured riser system connectors include:

AQC-SR: Subsea High-Pressure Drilling Riser Systems

AQC-CW: Subsea and Surface Completion and Workover riser

AQC-BC: Surface riser and surface BOP connector

As a drilling riser system specialist, we also supply a variety of other connectors which can be integrated into subsea or surface riser applications, ensuring a fully optimised solution.

All connectors can be made available to rent on their own with the complete suite of running and operating equipment, or as part of a complete riser supply. In addition, we can provide a trained team of installers and a full range of installation equipment to assist offshore operation support.

Key Product Features




- ✓ OEM designed and tested
- ✓ Fatigue compliant
- ✓ Range of ratings available, from 5-15k PSI
- ✓ Qualified to ISO 13628-7 and/or API 16a
- ✓ Fast and efficient rig make-up
- ✓ No loose parts
- ✓ Gas tight sealing technology
- ✓ HPHT operations
- ✓ CCS operations

Get in touch

+44 (0) 1603 788233 | contact@aquaterraenergy.com | www.aquaterraenergy.com

AQC Surface and Subsea Connectors



Technical Specification										Product Applications					
Connection Type		Bore Size	Pressure	Code	NACE	Metal to Metal Sealing	Dual Seal	Quick Make up	Gas Tight	Fatigue Compliant	Jack-Up Subsea	Jack-Up Surface	CWOR Drill Ship / Semisub / LWIV Subsea	Landing Strings	Open Water Intervention Riser Subsea
	AQC-SR ⁽¹⁾	14"-20"	Up to 15K PSI	ISO 13628-7	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓
	AQC-BC	13 ⁵ / ₈ "-21 ¹ / ₄ "	Up to 15K PSI	API 16a	✓	✓	✓	✓	✓	-	-	✓	-	-	-
	AQC-CW ⁽²⁾	4 ¹ / ₂ "-14"	Up to 15K PSI	ISO 13628-7	✓	✓	✓	✓ ⁽³⁾	✓	✓	✓	✓	✓	✓	✓

(1) Patented

(2) Patent pending

(3) Option for automatic make up

AQC Surface and Subsea Connectors

Other Riser and Wellhead Connectors

As a riser system specialist, we also supply a variety of other connectors which can be integrated into subsea or surface riser applications, ensuring a fully optimised solution. All connectors can be made available to rent on

their own with the complete suite of running and operating equipment, or as part of a complete riser supply. In addition, we can provide a trained team of installers and a full range of installation equipment to assist offshore operation support.

Other connectors available are:

- Vetco/Baker Hughes NT2
- TFMC Speedloc
- Cameron Fastlock
- API Hub Clamps
- DWHD H4 Connectors
- ExF H4 Connectors
- Collet Connectors
- LP Over Shots

Related products

1	Surface Riser Systems
2	Completion and Workover Riser Systems
3	Subsea high-pressure riser system
4	Landing strings
5	LP Over Shots
Conductor and Riser Analysis	
Well Start	

